

No.19 60 61

765kV

T/L

CRAMSHELL

765kV

120~280, 가80~120m ,

CRANE

. MAKER (,) , 가(20~22 /)

, , SEMI-PREFAB 1 1 가

가가 ,

가 가 300mm) 가

가

(1998. 8,

, '(NIMBY)

10

가

1) : 1996.2.5 - 2000.6.30 (53)

2) : 765kV T/L NO.139 - 202(30.5km)

5) : ACSR48n0m²X 6B

- : 11,590

- : ACSR480mm 1,11 km

- : 300/400kN 40,452

- : 2,027

- : 28.067 m³

		가	
	- (40T.M)	-	
	- ZIB	-	
	- (100kW)	- KEY-LOCK SYSTEM	
	- ENG. PULLER(15T)	- (100,200T)	
	- TENSIONER(1.3m)	- (35T)	
	- TENSIONER(1.2m)	-	
가	-	- WIRE	
	- REEL WINDER	- KEY-LOCK SYSTEM	
	- DRUM STAND	- (100kW)	
	- SPACER CAR(6B)		

	765kV T/L	154W, 345WT/L	
	- :	- : T	
	- :	- : ,	
	-		
	- , ,	-	
	4m ,	3~4m	
	(40)		
	- : + (ARM)	- :	
	- : +ZIB	- :	
	- :60m (5/9)	- :60m (7), 90m (9)	
	,		
	KEY-LOCK SYSTEM		
71	- :SEMI-PREFAB	- :NON-SLEEVE	
	1 1	1 2	
	(2)	(1)	
	-JUMPER:PRE-FAB JUMPER	-JUMPER:	